



## Early Journal Content on JSTOR, Free to Anyone in the World

This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.

Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.

Read more about Early Journal Content at <http://about.jstor.org/participate-jstor/individuals/early-journal-content>.

JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact [support@jstor.org](mailto:support@jstor.org).

crease during the paroxysm; in two other cases of mania there was a diminution of phosphates approaching to that occurring in delirium tremens. Bright's disease, even attended with acute inflammation, showed no increase. When only a few ounces of urine were secreted, as in dropsy, no increase was observed; and none also in a very extreme case of exostosis. In the case of mollities ossium, there was a decided increase of the earthy phosphates; and at last, the alkaline phosphates were also in excess, although there was no indication of affections of the nervous structures.

The following are the general conclusions which the author draws from his inquiries: first, that acute affections of the nervous substance, organic and functional, are the only diseases in which an excess of phosphatic salts appears in the urine; and in acute inflammation of the brain, its amount is proportional to the intensity of the inflammation; secondly, that in a large class of functional diseases of the brain, of which delirium tremens presents the most marked example, the secretion of phosphates is most remarkably diminished; and lastly, that no chronic disease exhibits any marked excess in the total quantity of phosphatic salts secreted, at least as far as the mode of analysis employed by the author can be regarded as conclusive.

“On the effects produced by Poisonous Fish on the Human Frame.” By Sir William Burnett, M.D., K.C.H., Vice-President of the Royal Society.

The author communicates a report which he lately received from Mr. Jameson, the surgeon of the flag ship at the Cape of Good Hope, of the rapidly fatal consequences ensuing from eating small portions of the liver of a fish, known at the Cape by the name of the *Bladder* or *Toad fish*, the *Aptodactylus punctatus*, or *Tetrodon* of Cuvier. The symptoms were chiefly pain and burning sensation at the epigastrium, constriction and spasm of the fauces and muscles of deglutition, rigidity of the tendons, coma, paralysis and convulsions, following one another in quick succession, and terminating in death within twenty minutes after the poisonous food had been taken. Several other instances of the same kind are next related; and a narrative is subjoined of the case of a seaman who lost his life, with similar symptoms, from the bite of a water snake in Madras roads; the *Coluber laticaudatus* of Linnæus (*Hydrus colubrinus* of Shaw); and also of a ship's company who were all severely affected by eating portions of a large *Banacuda* (*Perca major*).

The author ascribes the symptoms induced by these deleterious substances to their action on the nervous system alone, there being evidence of congestion only, but not of inflammation, in the stomach and other viscera.

“Further Researches on the Nervous System of the Uterus.” By Robert Lee, M.D., F.R.S., Fellow of the Royal College of Physicians.

The author states, that on the 8th of April 1838, he discovered,